

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	23999	(connecting or connection or connect) adj2 (pads or pad)	US- PGPUB; USPAT
2	BRS	L2	27	(measurement or measure) adj2 (converter or conversion) adj2 circuit	US- PGPUB; USPAT
3	BRS	L3	2594	(measurement or measure) adj2 (converter or conversion)	US- PGPUB; USPAT
4	BRS	L4	138	(activation or activating) same 1	US- PGPUB; USPAT
5	BRS	L5	1	3 same 4	US- PGPUB; USPAT
6	BRS	L6	2398	(activation or activating) and 1	US- PGPUB; USPAT
7	BRS	L7	1	6 and 3	US- PGPUB; USPAT
8	IS&R	L8	1	("5332973").PN.	US- PGPUB; USPAT
9	BRS	L9	5	("4961053" "5023684" "5025344" "5103166" "5111136").PN.	US- PGPUB; USPAT; USOCR
10	BRS	L10	102	("4961053").URPN.	USPAT
11	BRS	L11	11669	(connecting or connection or connect) adj2 (pads or pad)	USOCR; EPO; JPO; DERWEN T; IBM_TDB
12	BRS	L12	2469	(measurement or measure) adj2 (converter or conversion)	USOCR; EPO; JPO; DERWEN T; IBM_TDB

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	43	(activation or activating) and 11	USOCR; EPO; JPO; DERWEN T; IBM_TDB
14	BRS	L14	0	12 and 13	USOCR; EPO; JPO; DERWEN T; IBM_TDB
15	BRS	L15	38	(activation or activating) and 12	USOCR; EPO; JPO; DERWEN T; IBM_TDB
16	BRS	L16	18	15 and (testing or test)	USOCR; EPO; JPO; DERWEN T; IBM_TDB
17	BRS	L17	596	(activation or activating) and 3	US- PGPUB; USPAT
18	BRS	L18	13	17 and ((testing or test) adj2 (circuits or circuit))	US- PGPUB; USPAT
19	BRS	L19	59	(measurement or measure) adj2 (converter or conversion) adj2 (circuit or device or unit)	US- PGPUB; USPAT
20	BRS	L20	10	(activation or activating) and 19	US- PGPUB; USPAT
21	BRS	L21	75461	(converter or conversion) adj2 (circuit or device or unit)	US- PGPUB; USPAT

	Type	L #	Hits	Search Text	DBs
22	BRS	L22	974	(activation or activating) same 21	US-PGPUB; USPAT
23	BRS	L23	117	((activation or activating) adj2 (unit or device or circuit)) same 21	US-PGPUB; USPAT
24	BRS	L24	2032723	23 samd (connection or pads or pad)	US-PGPUB; USPAT
25	BRS	L25	8	23 same (connection or pads or pad)	US-PGPUB; USPAT
26	BRS	L26	1196	((activation or activating) adj2 (unit or device or circuit)) and 21	US-PGPUB; USPAT
27	BRS	L29	903	26 and (connection or pads or pad)	US-PGPUB; USPAT
28	BRS	L30	76	29 and ((testing or test) adj2 circuit)	US-PGPUB; USPAT
29	BRS	L31	378	21 near10 (activation or activating)	US-PGPUB; USPAT
30	BRS	L32	9	31 same (testing or test)	US-PGPUB; USPAT
31	BRS	L33	227	21 near5 (activation or activating)	US-PGPUB; USPAT
32	BRS	L34	45	33 and (testing or test)	US-PGPUB; USPAT
33	BRS	L35	7290	(activation or activating) near5 (switching)	US-PGPUB; USPAT
34	BRS	L36	1	35 near10 (SR adj2 (flip adj flop))	US-PGPUB; USPAT

Application Number

IDS Flag Clearance for Application 10810489



Content	Mailroom Date	Entry Number	IDS Review	Reviewer
M844	03-26-2004	13	<input checked="" type="checkbox"/>	01-06-2006 13:57:34 LPham

UPDATE